


# **e-commerce-theme-porto-shop15**




## **Porto Shop 15 – Porto WordPress Demo site**

Get Up to 40% OFF New-Season Styles \* Limited time only.

---

# **e-commerce-theme-porto-shop14**




## **Porto Shop 14 – Porto WordPress Demo site**

Get Up to 40% OFF New-Season Styles \* Limited time only.

---

# **e-commerce-theme-porto-shop13**



## **Porto Shop 13 – Porto WordPress Demo site**

Get Up to 40% OFF New-Season StylesMenWomen\* Limited time only.

---

# e-commerce-theme-porto-shop10




## Porto Shop 10 – Porto WordPress Demo site

Get Up to 40% OFF New-Season StylesMenWomen\* Limited time only.

---

# e-commerce-theme-porto-shop12



## Porto Shop 12 – Porto WordPress Demo site

Get Up to 40% OFF New-Season StylesMenWomen\* Limited time only.

---

## e-commerce-theme-porto-shop18




## Porto Shop 18 – Porto WordPress Demo site

Get 10% extra OFF on Porto Summer Sale – Use PORTOSUMMER coupon – Shop Now!

---

## e-commerce-theme-porto-shop11




## Porto Shop 11 – Porto WordPress Demo site

Free shipping on all orders over \$99.

---

# e-commerce-theme-porto-shop6




## Porto Shop 6 – Porto WordPress Demo site

Get Up to 40% OFF New-Season StylesMenWomen\* Limited time only.

---

# e-commerce-theme-porto-shop7



## Porto Shop 7 – Porto WordPress Demo site

Get Up to 40% OFF New-Season StylesMenWomen\* Limited time only.

---

# WHMOS



InterNetX Domain Plugin for WHMCS is a registrar module which allows you to offer InterNetX domains to your customers. It also allows complex management of ordered domains from both client area and admin area. **Table of contents**

- [1 Features and Compatibility](#)
  - [1.1 Admin Area Features](#)
  - [1.2 Client Area Features](#)
  - [1.3 Compatibility](#)
  - [1.4 Known Limitations](#)
- [2 Installation and Configuration](#)
- [3 Management](#)
  - [3.1 TLD Management](#)
  - [3.2 Admin area](#)
  - [3.3 Client area](#)
- [4 WhoisProxy](#)
  - [4.1 Whoisproxy integration into WHMCS](#)
  - [4.2 Example TLD List](#)
- [5 Premium Domains](#)
  - [5.1 Installation instructions](#)
  - [5.2 Functionalities:](#)
- [6 Additional information about Custom Client Area Forms and Custom Localisation:](#)
  - [6.1 Custom Forms in Client Area](#)
  - [6.2 Custom Localisation via Language Tags](#)
  - [6.3 Localisation of Domain Extensions](#)

## Features and Compatibility

## **Admin Area Features**

- Register Domain
- Transfer Domain IN
- Renew Domain
- Manage Contact Details
- Get EPP Authinfo Code
- Delete Domain
- Transfer Domain OUT (ACK/NACK)
- Domain Addon Management
- Synchronization Of Expired/Transferred Domains
- Synchronization Of Expiry Dates

## **Client Area Features**

- Renew Domain
- Enable Autorenew
- Get/Modify Nameservers
- Enable ID Protection (Whois Privacy Service)
- Manage Contacts Details
- DNS Management
- Email Forwarding
- Domain Forwarding
- Get EPP Authinfo Code
- Change Owner

## **Compatibility**

Supports WHMCS V7 and later

## **Known Limitations**

- automated .CA Registration not working (manual processing via AutoDNS Frontend is possible after the WHMCS order arrived)
- automated .HK Registration not working (manual processing via AutoDNS Frontend is possible after the WHMCS order arrived)

- Domain OwnerChange for certain TLDs like .EU is not working with WHMCS. (If the OwnerChange is not working with WHMCS the changes can be done manually in the AutoDNS Webinterface.)
- Domain Transfer including OwnerChange(TRADE) for certain TLDs like .EU is not working with WHMCS. (If the Domain Transfer including OwnerChange is not working with WHMCS the Trade can be done manually in the AutoDNS Webinterface.)

## Installation and Configuration

**In this section we will show you how to properly install and configure your InterNetX Domain Plugin for WHMCS.**

1. Order the WHMCS Domain Plugin at „Optional Services“ in the AutoDNS customer center. A contract addon is required, after signing you will receive the Plugin by email.
2. Upload files to your server into your root WHMCS directory.
3. Duplicate **dist.additionaldomainfields.php** file located at the **/resources/domains/**directory to **additionaldomainfields.php** and add code below at the end of the file:  
**additionaldomainfields.php**

```

/** * InterNetX REGISTRAR ADDITIONAL PARAMETERS * This file
    will load proper additional parameters for InterNetX
        registrar domain module */$filename = ROOTDIR .
DIRECTORY_SEPARATOR . 'resources' . DIRECTORY_SEPARATOR .
    'domains' . DIRECTORY_SEPARATOR
        .'InterNetX_additionaldomainfields.php';if
(file_exists($filename)) {    include($filename);} else
{    die('Can not load InterNetX_additionaldomainfields.php
        File error:
resources/domains/dist.additionaldomainfields.php');}

```

(This will add domain extensions for the domain plugin and will overwrite some of the standard WHMCS extensions that are

not required.)

4. Now, you have to set up your contact details. At the Setup > General Settings > Domains. Uncheck „Use Clients Details“ checkbox, fill contact details and press Save Changes.

5. In order to proceed, go to the Setup > Product/Services > Domain Registrars, find InterNetX and press Activate next to it.

6. Now, enter your API access details, API URL and default nameservers.

- The regular API URL is: <https://gateway.autodns.com/>
- The default nameservers for AutoDNS are:  
a/b/c/d.ns14.net

**(if you are using virtual nameservers from InterNetX please [update /modules/registrars/InterNetX/classes/class.InternetX\\_API.php](/modules/registrars/InterNetX/classes/class.InternetX_API.php) and change the two „[ns14.net](#)“ entries to your own virtual nameserver domain)**

- **Context:** The default context for AutoDNS is 4. If you are using Personal AutoDNS please use your exclusive URL and the context number you have received.
- **Reply To:** Defines where the replies of the AutoDNS orders will be sent by email. These emails are required to track orders with errors.
- **MX Record:** Here you can set the default subdomain name for the MX Record. The MX will point to the same IP that is set in „IP Address“. We suggest to use the name `webmail` .
- **IP Address:** The IP address where the DNS Records that are created during domain registration will point. The IP also defines the MX Record subdomain name supplied above.
- **Auto Delete:** Do not activate this option unless you are instructed to do so! Else the feature will result in

double renewals and costs for domains!

- **Admin Contact:** The OwnerC will also be AdminC in the public Whois. Else the Client will only be OwnerC.

→ Afterwards, press **Save Changes** button.

It is also possible to use the AutoDNS Demo System for testing and implementation, if you need access to the AutoDNS Demo System (Sandbox) please contact [sales@internetx.com](mailto:sales@internetx.com). The sandbox nameservers are ns1/ns2.demo.autodns.com

To use the AutoDNS Demo System please activate „Test Mode“.

**Congratulations! You have just finished the initial installation and configuration of the module.**

## Management

### TLD Management

Your clients will be able to order domains as soon as you set up TLDs for your desired extensions.

1. In order to start, go to the **Setup > Products/Services > Domain Pricing**.
2. Fill TLD, choose additional features like DNS Management

and select InterNetX from Auto Registration dropdown menu if you wish a fully automated registration of your client's orders.


Press **Save Changes** to add this TLD to your system.

## Domains/TLDS

 Help

This is where you configure the TLDs that you want to allow clients to register or transfer to you. As well as pricing, you can set which addons are offered with each TLD, if an EPP code is required for transfers, and whether registration should be automated and if so, with which registrar.

TLD	Pricing	DNS Management	Email Forwarding	ID Protection	EPP Code	Auto Registration		
<input type="text" value="com"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	InterNetX		



## Domain Addons

Currency	DNS Management	Email Forwarding	ID Protection
USD	<input type="text" value="0.00"/>	<input type="text" value="0.00"/>	<input type="text" value="0.00"/>

Now, it is time to set up pricing. To do so, press Open Pricing in Pricing column. New window will open, please make sure your browser does not block PopUps.

**3. Here you can set up pricing for registering, transferring and renewing domains using created TLD.**

**Press Save Changes to finish.**

## Domain Pricing for .com

Pricing slabs can be created to offer groups of clients alternative pricing. Slabs are tied to client groups, so you need to set pricing for the default base slab, and then optionally for any of the client groups you want to offer custom pricing to.

Leave Register at 0 to disable that term. Set Transfer/Renewal to -1 to disable

Pricing Slab for  ▼

	Currency	Register	Transfer	Renewal
1 Years	USD	<input type="text" value="1.00"/>	<input type="text" value="1.00"/>	<input type="text" value="1.00"/>
2 Years	USD	<input type="text" value="2.00"/>	<input type="text" value="2.00"/>	<input type="text" value="2.00"/>
3 Years	USD	<input type="text" value="3.00"/>	<input type="text" value="3.00"/>	<input type="text" value="3.00"/>
4 Years	USD	<input type="text" value="4.00"/>	<input type="text" value="4.00"/>	<input type="text" value="4.00"/>
5 Years	USD	<input type="text" value="5.00"/>	<input type="text" value="5.00"/>	<input type="text" value="5.00"/>
6 Years	USD	<input type="text" value="6.00"/>	<input type="text" value="6.00"/>	<input type="text" value="6.00"/>
7 Years	USD	<input type="text" value="7.00"/>	<input type="text" value="7.00"/>	<input type="text" value="7.00"/>
8 Years	USD	<input type="text" value="8.00"/>	<input type="text" value="8.00"/>	<input type="text" value="8.00"/>
9 Years	USD	<input type="text" value="9.00"/>	<input type="text" value="9.00"/>	<input type="text" value="9.00"/>
10 Years	USD	<input type="text" value="10.00"/>	<input type="text" value="0.00"/>	<input type="text" value="0.00"/>

**4. Setup of AutoDNS User Profile:** In addition you have to set up your AutoDNS User Profile with additional information once.

Go to „User Management“ > „User Configuration“ > „User Profile“

The tabs „IRTP“, „Verification“ and „TMCH“ should show the Reseller’s Company Name and Support email address.

## Edit User Profile

You can edit the user profile here.

### Edit User Profile

User Domain **IRTP** Verification TMCH

**IRTP Settings**

FOA1 Agreement Link:

FOA1 Confirmation Link:

FOA1 Support Email Address:

FOA1 Sender:

FOA1 Recipient:

Send Reminder (FOA2):

FOA2 Support Email Address:

FOA2 Sender:

FOA2 Recipient:

## Edit User Profile

You can edit the user profile here.

### Edit User Profile

User Domain IRTP **Verification** TMCH

**Contact Verification Settings**

Following a domain registration, incoming transfer or change to the email address of the OwnerC, an email is automatically sent to the OwnerC. This email contains a verification link which the OwnerC must use to actively confirm the contact details.

Sender Name:

Support Email Address:

**Whois Data Reminder**

The AdminC of a gTLD domain receives a white label mail once a year containing information and the complete Whois data of the managed domain. The AdminC has the obligation to check the validity of Whois data.

Sender Name:

Support Email Address:

## Edit User Profile

You can edit the user profile here.

### Edit User Profile

User Domain IRTP Verification **TMCH**

**Trademark Claims Notice**

After conclusion of the sunrise phase for trademark owners during the introduction of each new gTLDs live phase an active check on potential trademark violation at the Trademark Clearinghouse is performed. If a trademark is found that matches the domain name the future domain owner will be notified by email and must additionally confirm the registration.

Sender Name:  RECURSE ▼

Support Email Address:  RECURSE ▼

After configuring the TLD and the AutoDNS User Profile you can start ordering the first domain.

Go to Client Area and chose **Domains > Register a New Domain:**

Next to basic actions



Home Services ▾ Domains ▾ Billing ▾ Support ▾ Open Ticket Hello, Test! ▾

## Domains Configuration

The following options and settings are available for the domains you have chosen. Required fields are indicated with a \*.

**mytestingdomain.com - 1 Year/s [No Hosting! Click to Add]**

Hosting: **[No Hosting! Click to Add]**

Registration Period: 1 Year/s

Addons:

- DNS Management (FREE!)
- Email Forwarding (FREE!)
- ID Protection (FREE!)

### Nameservers

If you want to use custom nameservers then enter them below. By default, new domains will use our nameservers for hosting on our network.

Nameserver 1:

Nameserver 2:

Nameserver 3:

Nameserver 4:

Nameserver 5:

# Admin area

The InterNetX Domain Plugin for WHMCS allows you to perform various actions on your client's domains.

In addition to basic actions (Register, Transfer, Renew and Modify Contact Details) you are able to carry out functions such as Get EEP Authinfo Code, Request Delete, Transfer OUT ACK and Transfer Out NACK.

## Clients Profile

Active Client:

Summary Profile Contacts Products/Services **Domains** Billable Items Invoices Quotes Transactions Emails Notes (0)

Domains:

Order # **2** - [View Order](#)

Order Type: Register

Domain:  [www whois](#)

Registrar:

First Payment Amount:

Recurring Amount:   Auto Recalculate on Save

Promotion Code:  (Change will not affect price)

Registration Period:  Years

Registration Date:

Expiry Date:

Next Due Date:

Payment Method:  [View Invoices](#)

Status:

Subscription ID:

Nameserver 1:

Nameserver 2:   Tick to reset to default nameservers

Nameserver 3:

Nameserver 4:

Nameserver 5:

Registrar Commands:

Management Tools:  DNS Management  Email Forwarding  ID Protection  Disable Auto Renew


Admin Notes:

Important Note: If you want to do a manual synchronisation of your domains and their expiry/due dates you can start the Cron Sync manually:

<http://your-whmcs-domain.tld/whmcs/crons/domainsync.php>

# Client area

Your client can manage all relevant aspects of their domain. In this section we will show the available features. On the domain's details page your client can view basic details of his domain and order it's renewal.




The screenshot shows the WHMOS client area interface. At the top is the WHMOS logo. Below it is a navigation bar with links for Home, Services, Domains, Billing, Support, and Open Ticket, along with a user greeting 'Hello, Test!'. The main heading is 'Managing mytestingdomain.com'. There are five tabs: Information (selected), Auto Renew, Nameservers, Addons, and Management Tools. The 'Information' tab is active, displaying the following details:

- Domain:** mytestingdomain.com (Active)
- Registration Date:** 14/03/2014
- Next Due Date:** 14/03/2014
- First Payment Amount:** \$15.00 USD
- Recurring Amount:** \$12.00 USD Every 1 Year/s (with a 'Renew Now' button)
- Payment Method:** 2Checkout

A button labeled '« Back to Domains List' is located at the bottom left of the information section.

In the Auto Renew tab you are able to enable/disable the Auto Renew functionality.



This screenshot shows the WHMOS client area with the 'Auto Renew' tab selected. The WHMOS logo and navigation bar are identical to the previous screenshot. The main heading is 'Managing mytestingdomain.com'. The 'Auto Renew' tab is active, displaying the following information:

- Auto Renewal Status:** Enabled

A red button labeled 'Disable Auto Renew' is positioned at the bottom of the page.

Important Note:

**Disabling Auto Renew will result in an automated deletion of the domain on the expiration date! If you reactivate Auto Renew the delete order will be removed again.**

You can also change the domain's nameservers, this can be done in the Nameservers tab.

At the Addons tab you can manage addons ordered along with a domain.



## Managing mytestingdomain.com

Information Auto Renew Nameservers Addons Management Tools

### Nameservers

You can change where your domain points to here. Please be aware changes can take up to 24 hours to propagate.

- Use default nameservers  
 Use custom nameservers (enter below)

Nameserver 1	<input type="text" value="ns1.yourdomain.com"/>
Nameserver 2	<input type="text" value="ns2.yourdomain.com"/>
Nameserver 3	<input type="text" value="ns3.yourdomain.com"/>
Nameserver 4	<input type="text"/>
Nameserver 5	<input type="text"/>

Change Nameservers

In the Addons tab you can manage addons ordered along with a domain.

- ID Protection allows you to activate and deactivate the Whois Privacy Service.
- DNS Host Record Management allows you to manage the DNS Entries for the domain.
- Email Forwarding allows you to redirect email addresses to other external email addresses.

## Managing mytestingdomain.com

Information Auto Renew Nameservers Addons Management Tools

### Addons

The following addons are available for your domain(s)...



#### ID Protection

Protect your personal information and reduce the amount of spam to your inbox by enabling ID Protection.

[Disable](#)



#### DNS Host Record Management

External DNS Hosting can help speed up your website and improve availability with reduced redundancy.

[Manage](#) | [Disable](#)



#### Email Forwarding

Get emails forwarded to alternate email addresses of your choice so that you can monitor all from a single account.

[Manage](#) | [Disable](#)

**The InterNetX Domain Plugin for WHMCS also allows you to modify the whois contact details.** The only limitation here is you cannot change the first and last name.

SchlundTech allows you to set up email forwarding if you have.

## Contact Information

Domain Name: mytestingdomain.com

### Registrant

Use existing account contact

Choose Contact

Specify custom information below

First Name

Last Name

Company Name

City

Address

State

Postcode

Country

Phone Number

Email

[Save Changes](#)

[← Back](#)

Powered by WHMCompleteSolution

**DNS Management addon enables you to manage the DNS records of your domain.**

## DNS Management

Domain Name: mytestingdomain.com

Point your domain to a web site by pointing to an IP Address, or forward to another site, or point to a temporary page (known as Parking), and more. These records are also known as sub-domains.

Main IP:  WWW include:

Host Name	Record Type	Address	Priority
*	A (Address) ▼	<input type="text" value="127.0.0.1"/>	N/A
	SPF (txt) ▼	<input type="text" value="v=spf1 a mx ~all"/>	N/A
	MX (Mail) ▼	<input type="text" value="mail"/>	<input type="text" value="10"/> *
mail	A (Address) ▼	<input type="text" value="127.0.0.2"/>	N/A
test	CNAME (Alias) ▼	<input type="text" value="www.mytestingdomain.de."/>	N/A
	A (Address) ▼	<input type="text"/>	<input type="text"/> *

\* Priority Record for MX Only

[Save Changes](#)

InterNetX allows to set up email forwarding if you have ordered the InterNetX Redirector service. Please contact [sales@internetx.com](mailto:sales@internetx.com) to get the Redirector service activated.

## Email Forwarding

Domain Name: mytestingdomain.com

If the Email Forwarding Server determines the Forward To address is invalid, we will disable the forwarding record automatically. Please check the Forward To address before you enable it again. The changes on any existing forwarding record may not take effect for up to 1 hour.

Prefix		Forward To
<input type="text" value="mailbox"/>	@mytestingdomain.com =>	<input type="text" value="forward@mytest.com"/>
<input type="text" value="othermailbox"/>	@mytestingdomain.com =>	<input type="text" value="forward2@mytest.com"/>
<input type="text"/>	@mytestingdomain.com =>	<input type="text"/>

Save Changes

« Back

### Important Note:

To activate email forwarding the MX record of the domain must be set to a hostname that points to IP address 62.116.130.8 in the DNS entry!

You can easily receive your domain's EPP Authinfo Code, simply go to the Management Tool > **Get EPP Code**.

## Get EPP Code

Domain Name: mytestingdomain.com

The EPP Code is basically a password for a domain name. It is a security measure, ensuring that only the domain name owner can transfer a domain name. You will need it if you are wanting to transfer the domain to another registrar.

The EPP Code for your domain is: 09be4f5733

« Back

**Additionally, you can easily set up domain forwarding. Go to Management Tools > Manage Domain Forwarding:**

InterNetX allows to set up domain forwarding if you have ordered the InterNetX Redirector service. Please contact [sales@internetx.com](mailto:sales@internetx.com) to get the Redirector service activated.



## Domain Forwarding

The changes on any existing forwarding record may not take effect for up to 1 hour.

Domain Name: [mytestingdomain.com](#)

Domain/Subdomain Forwarding requires a change of the A-Record in the DNS entry. Please set the A-Record for the domain/subdomain to the IP Address 62.116.130.8 in order to get Domain Forwarding activated.

Domain/Subdomain	Type	Forward To	Title
<input type="text" value="mytestingdomain.com"/>	<input type="text" value="http"/>	<input type="text" value="www.mytestingdomain.de"/>	<input type="text" value=""/>
<input type="text" value="www.mytestingdomain.com"/>	<input type="text" value="http"/>	<input type="text" value="www.mytestingdomain.de"/>	<input type="text" value=""/>
<input type="text" value="ssl.mytestingdomain.com"/>	<input type="text" value="https"/>	<input type="text" value="www.mytestingdomain.de"/>	<input type="text" value=""/>
<input type="text" value="test.mytestingdomain.com"/>	<input type="text" value="frame"/>	<input type="text" value="test.mytestingdomain.de"/>	<input type="text" value="This is a test!"/>

Save Change

### Important Note:

**The Domain/Subdomain Forwarding requires a change of the A-Record in the DNS entry. Please set the A-Record for the domain/subdomain to the IP Address 62.116.130.8 in order to get Domain Forwarding activated.**

**You can also change the domain owner.**

## Change Owner

With this task you can change domain contact here.

Domain Name: mytestingdomain.com

Domain Contacts	
OwnerC:	<input type="text" value="31155902"/>
AdminC:	<input type="text" value="31155902"/>
TechC:	<input type="text" value="31155902"/>
ZoneC:	<input type="text" value="31155902"/>

Save Change

← Back

## WhoisProxy

The InterNetX WhoisProxy acts as a singular intermediary which accesses the various whois servers of the registries, thereby saving users the effort of sending whois queries to every whois server.

## Whoisproxy integration into WHMCS

How to change the Whois Server in WHMCS:

[http://docs.whmcs.com/WHOIS\\_Servers](http://docs.whmcs.com/WHOIS_Servers)

## Example TLD List

Important Note:

The list of available TLDs will change from time to time especially with new gTLDs being introduced nearly every week!

**The whois server list is located at:  
/resources/domains/whois.json**

You can edit the whois file according to your needs and overwrite the regular WHMCS whois configuration per TLD.

**Example list of TLDs and Whois Servers:**

```
[ { "extensions":  
  ".com,.net,.org,.de,.cat,.ca,.travel", "uri":  
  "socket://whois.autodns3.de", "available":  
  "free" }, { "extensions": ".bike", "uri":  
  "socket://whois.autodns3.de", "available":  
  "free" }, { "extensions": ".at", "uri":  
  "socket://whois.autodns3.de", "available": "free" }]
```

A complete list of all available WhoisProxy TLDs can be retrieved using the following command:

**whois -h [whois.autodns3.de](#) tld**

## **Premium Domains**

**Additional Feature For InterNetX WHMCS Domain Registrar:  
Premium Domains**

The Premium Domains module adds premium domain functionality inside the existing InterNetX WHMCS Domain Registrar module.

Important Note:

**The premium domain feature requires using the WhoisProxy!**


To use the premium domain function, our WhoisProxy is mandatory.

If the lookup provider is changed, all Whois Queries including non premium Domains, will be executed via the WhoisProxy.

Please contact our Sales Team([sales@internetx.com](mailto:sales@internetx.com)) to receive access to the WhoisProxy.

## Installation instructions

- Go to **Admin Area** of your WHMCS.
- Go to **Setup > Addon Modules** and activate „**InterNetX Premium Domains Addon**„.
- There is no need to configure the addon, just click „**Activate**“ button.
- Go to **Setup > Products/Services > Domain Pricing**, and change your **Lookup Provider** to „**InterNetX**“ by clicking on „**Change**“ button in „**Lookup Provider**“ section:



Then select „**InterNetX**“ from all lookup providers list:

Choose Lookup Provider

STANDARD WHOIS  
✓ Lookups ✓ Suggestions

**InterNetX**  
✓ Lookups ✓ Suggestions

enom  
✓ Lookups ✓ Suggestions

NetEarth™  
ENIC, INC.  
✓ Lookups ✓ Suggestions

reselleramp  
✓ Lookups ✓ Suggestions

resellerclub  
✓ Lookups ✓ Suggestions

UK2.GROUP  
✓ Lookups ✓ Suggestions

Close

Please make sure that the premium domain button is set to „ON“:

window to allow user enter

Lookup Provider

**InterNetX**


Change Configure

Premium Domains

**ON** Configure


## Functionalities:

The Premium Domains module allows the user to set his own price for each premium domain class. To do this you have to: Click „**Configure**“ button in the premium domains section:




The module will change the „**Configure Premium Domains Levels**“ window to allow the user to enter and save their premium domains classes.


Enter premium domain class names inside text fields and save them into database by clicking „**Save**“ button:



Premium domain classes can also be deleted from the database by clicking on „**Delete**“ button:



After adding a premium domain class to the database, the user has the possibility to configure it's pricing by clicking on the „**Configure**“ button:



In the next window the user can set the **Register**, **Transfer**, and **Renewal prices** for selected price class, and save it into the database by clicking the „**Save**“ button:

## Configure Premium Domain Pricing

Premium domain cost prices are fetched in real-time from database.

	Currency	Enable	Register	Transfer	Renewal
1 Year	USD**	<input checked="" type="checkbox"/>	10.00	20.00	30.00

\*\* prices in other currencies will be automatically recalculated by WHMCS and this module

Close

Back

Save

From now on if a premium domain will be detected by the WHMCS Domain Registrar the price will be taken from the database and set in the „**Client Area**“ during the domain registration process.

Note:

In „Configure Premium Domain Pricing“ the user can only configure pricing for a one year period, because WHMCS does not allow users to register premium domains for longer than one year.

In this same window only one currency is available because WHMCS and the Premium Domains module automatically recalculates prices to other currencies based on the current currency rate.

When a user wants to disable register/renew/transfer prices of domain just type „0“ (zero) in the appropriate premium domain pricing field.

Important note about renew prices:

When you are in the „Client Area“ and go to: Domains > My Domains and click „Renew“ button on the left, the action bar

displaying the renew prices of premium domains will not change. WHMCS does not support changing prices in this place.

## **Additional information about Custom Client Area Forms and Custom Localisation:**

### **Custom Forms in Client Area**

- Email Forwarding →  
/modules/registrars/InterNetX/domainForwarding.tpl
- Domain Redirect →  
/modules/registrars/InterNetX/domainForwarding.tpl
- Owner Change →  
/modules/registrars/InterNetX/changeOwner.tpl

Changes to Design and Localisation can be done here, but Localisation should be done by using Language Tags.

### **Custom Localisation via Language Tags**

You will find language Tags all over WHMCS, we are using separated „internetx“ Language Tags to make it visible who made the localisation

e.g.

```
$LANG.internetxchangeowner
```

```
$LANG.internetxchangeownerdesc
```

```
$LANG.clientareasavechanges
```

```
$LANG.clientareacancel
```

Language Tags beginning with „\$LANG.internetx“ are located in  
/lang/overrides/german.php

`/lang/overrides/english.php`

These individual Language Tags can be changed as needed.

Other Language Tags like „\$LANG.clientareacancel“ without the „internetx“ are WHMCS Language Tags.

They can also be overwritten by inserting \$LANG.clientareacancel in `/lang/overrides/xxxxx.php`

e.g. if you do not like the Button „Cancel“ in your Client Area forms, because the button does not cancel but does undo, you simply can override \$LANG.clientareacancel from „Cancel“ to „Undo Changes“ in `/lang/overrides/english.php`

## **Localisation of Domain Extensions**

Some TLDs require additional data, e.g. a VAT Number or a Passport number.

These Extensions are managed in a separate file and are not translated on purpose:

`/resources/domains/InterNetX_additionaldomainfields.php`

If you want to translate these extension names you can either create own Language Tags or change it directly in `InterNetX_additionaldomainfields.php` if you are only offering one single language for your customers.

e.g.

```
$additionaldomainfields[„.ru“][] = array(„Name“ => „ID Card Number“.....
```

After the initial “ array(„Name“ => “ is the localisation, you can change „ID Card Number“ to „ID Number“ as you like it.

Last updated: 01-08-2018